




FIG. 1B





Inventor: Sandeep K. Gupta Tel: 202-371-2600
Title: Switched Capacitor Circuits (as amended)



500

502 CONNECT A VOLTAGE INPUT SIGNAL TO A FIRST NODE OF A BRIDGE CIRCUIT AND TO THE SWITCHED CAPACITOR CIRCUIT

504 REGULATE A GATE VOLTAGE OF A MOSFET RESISTOR DISPOSED IN A RESISTOR BRANCH OF THE BRIDGE CIRCUIT TO CONTROL THE RESISTANCE OF THE MOSFET RESISTOR

506 CONNECT THE REGULATED GATE VOLTAGE TO A GATE TERMINAL OF A SIGNAL CONDUCTING MOSFET SWITCH IN THE SWITCHED CAPACITOR CIRCUIT, THEREBY CONTROLLING THE RESISTANCE OF THE SIGNAL CONDUCTING MOSFET SWITCH SO THAT IT IS INDEPENDENT OF THE VOLTAGE INPUT SIGNAL, THEREBY REDUCING TRACK MODE DISTORTION IN THE SWITCHED CAPACITOR CIRCUIT

FIG. 5

600

CONNECT A NONINVERTING TERMINAL OF AN OPERATIONAL AMPLIFIER TO A SECOND NODE OF THE BRIDGE CIRCUIT AND AN INVERTING TERMINAL OF THE OPERATIONAL AMPLIFIER TO A THIRD NODE OF THE BRIDGE CIRCUIT

604 CONNECT AN OUTPUT OF THE OPERATIONAL
AMPLIFIER TO A GATE TERMINAL OF A MOSFET
RESISTOR DISPOSED IN A RESISTOR BRANCH
OF THE BRIDGE CIRCUIT, THEREBY REGULATING THE
GATE VOLTAGE OF THE MOSFET RESISTOR TO CONTROL
THE RESISTANCE OF THE MOSFET RESISTOR